



Seyedalireza Khoshsirat

27 years old, single

Tehran, Iran

arkhoshsirat@gmail.com

www.khoshsirat.com

RESEARCH INTERESTS

My research interests are computer vision and machine learning using deep learning methods.

I have experience of working with different image segmentation methods including: Deep learning, Statistical shape/appearance models, and Level-set. Also, other deep neural networks for image classification, object detection, adversarial learning, super resolution, and etc.

In addition, I have 7 years' experience of working as a professional software developer (both frontend and backend).

EDUCATION

PhD	University of Delaware Computer Science	Jul 2018 – Present
Master's	Allameh Tabataba'i University (Tehran) Computer Science, GPA: 3.7	Sep 2015 – Sep 2017
Bachelor's	University of Applied Science and Technology (Tehran) Software Engineering, GPA: 3.4	Jan 2012 – Feb 2014
Associate's	Shahid Shamsipour Technical College (Tehran) Software Engineering	Jan 2009 – Sep 2011

MASTER'S THESIS

Combined Deep-Learning and Level-set Approach to Segmentation of the Left Ventricle in 3D Cardiac MRI

Supervisor: Farzad Eskandari

Advisor: Mohammadreza Asghari Oskoei

Examiner: Seyed Ali Katanforoush (Shahid Beheshti University, Tehran)

PUBLICATIONS

Designing Evidence Based Risk Assessment System For Cancer Screening As An Applicable Approach For The Estimating Of Treatment Roadmap

Elham Maserat, Reza Safdari, Hamid Asadzadeh Aghdaei, Alireza Khoshsirat, Mohammad Reza Zali

BMJ Open, The 5th International Society for Evidence-Based Healthcare Congress, Kish Island, Iran

February 2017 - Volume 7 - Issue 1

http://bmjopen.bmj.com/content/7/Suppl_1/bmjopen-2016-015415.43

TECHNICAL SKILLS

Computer Vision	Deep learning, PyTorch, TensorFlow, Caffe, OpenCV, Statistical shape/appearance models, Level-set methods
Database	Oracle, MongoDB, SQL Server, Sqlite, HDF5
Programming Languages	Python, Java, Matlab, TypeScript, HTML, JavaScript, CSS, C#
Programming Frameworks	JavaEE, Spring, Hibernate, Struts, express.js, mongoose.js, Microsoft .NET, Entity Framework
User Interface	AngularJS, Telerik, KendoUI, Bootstrap, Ionic, Apache tiles, JavaFX, ASP.NET, ASP.NET MVC, WPF
Others	NodeJS, Wordpress, Apache Maven, Apache Tomcat, JasperReports, Version Control Systems, gulp.js, CentOS, Photoshop

REFERENCES

Chandra Kambhamettu	University of Delaware Professor of Computer Vision	chandrak@udel.edu
Farzad Eskandari	Allameh Tabataba'i University Professor of Probability and Statistics	askandari@atu.ac.ir
Mohammad Zebarjad	Mehrsys Co. Chief Executive Officer	info@mehrsys.com

PROFESSIONAL SERVICE

Software	Mehrsys (Tehran)	Sep 2014 –
Programmer	Working on different software projects using up-to-date frameworks and technologies including Java (Spring, Hibernate, JasperReports), NodeJS, AngularJS, Ionic, MongoDB, SQL Server, TypeScript, Wordpress.	Aug 2018
Software	Raydana (Tehran)	Jun 2011 –
Programmer	Working on an ERP system (Enterprise Resource Planning) using Java (Struts, Spring, Hibernate, JSP, JSF, GWT), Oracle, MySQL, and etc.	Sep 2014
Software	Faranam (Tehran)	Dec 2010 –
Programmer	Frontend and backend software development with ASP.NET MVC, WPF, Entity Framework, SQL Server and jQuery.	Jun 2011

APPENDIX

Master's Thesis Abstract

Segmentation of the left ventricle (LV) in cardiac magnetic resonance images (MRI) is an essential step for calculation of clinical indices such as ventricular volume and ejection fraction. In this thesis, we first explain essential concepts, then review existing methods for segmentation of LV. We continue by implementing and evaluating a method which employs deep learning algorithms combined with a level-set method to fully automatically segment the LV in short-axis cardiac MRI datasets.

The method employs deep learning algorithms to learn the segmentation task from the ground truth data. Convolutional networks are employed to automatically detect the LV chamber in MRI dataset. Stacked autoencoders are utilized to infer the shape of the LV. The inferred shape is incorporated into a level-set method to improve the accuracy and robustness of the segmentation. We validated our method using 45 cardiac MRI datasets taken from the MICCAI 2009 LV segmentation challenge and compared the results to the state-of-the-art methods. Excellent agreement with the ground truth was achieved. We computed validation metrics such as the percentage of good contours, Dice metric, average perpendicular distance, and conformity as respectively 83%, 80%, 3.4mm and 70%.

Keywords: Deep-Learning, Level-set method, Left Ventricle, Cardiac MRI, Machine Learning